

Table of Contents

Table of Contents	1
MS4 Annual Report/Interim Progress Certification 2026	2
(Submission #: HQK-SXE0-YSNM6, version 1)	2
Details	2
Form Input	2
MS4 Operator Information	2
Part IV	2
Part V	3
Part VI	3
Part VIII	11
Part IX	11
Interim Progress Status	11
Certification	12
Attachments	12
Status History	12
Processing Steps	12

MS4 Annual Report/Interim Progress Certification

version 1.1

(Submission #: HQK-SXE0-YSNM6, version 1)

Details

Submitted 4/1/2026 (0 days ago) by Ryan Kedzior

Alternate Identifier NYR20A023

Submission ID HQK-SXE0-YSNM6

Status Deemed Complete

Form Input

MS4 Operator Information

Permit ID #:
NYR20A023

Municipality Name or Legal Entity Name
Village of Scotia

Report Preparer

Report Preparer Title	First and Last Name	Phone	Email
Contract Engineer	Douglas Cole	518-348-7880	dcole@primeeng.com
Stormwater Program Coordinator	Ryan Kedzior	518-393-2159	rkedzior@villageofscotiany.gov

MS4 Operator Type
Traditional land use control

Part IV

Was the information in this section completed as part of a coalition/group?
Yes

MS4 General Permit Resources

Use the following webpages for more information on the permit and fact sheet:
[MS4 Permit Webpage](#)

[MS4 Toolbox](#)

SWMP Plan

Annually: Have the alternative implementation agreements in the SWMP Plan been updated? (Part IV.A.1.e.)
Yes

Annually: Has the SWMP been updated? (Part IV.B.3.)
Yes

Mapping

Annually: Has the comprehensive system mapping been updated? (Part IV.D.)

Yes

What tools are used to satisfy the comprehensive system mapping requirements? (e.g. paper maps, GIS, web mappers, etc.)

AutoCAD maps for stormwater system and GIS for catch basins and outfalls.

Within three (3) years of the EDC: Has Phase I of the comprehensive mapping been completed? (Part IV.D.2.a.)

Yes

Within five (5) years of the EDC: Has Phase II of the comprehensive mapping been completed? (Part IV.D.2.b.)

No

Please clarify the reason for selecting "No" for this item.

this item is not due yet

Legal Authority

Within three (3) years of the EDC: For newly designated MS4 Operators, has adequate legal authority been developed and implemented? (Part IV.E.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

The Village of Scotia is not a newly designated MS4

Enforcement Tracking

This reporting year, how many enforcement actions were undertaken for illicit discharges (e.g. verbal warnings, citations, stop work orders)? (Part IV.F.2.)

0.0

This reporting year, how many enforcement actions were undertaken for construction sites (e.g. verbal warnings, citations, stop work orders)? (Part IV.F.2.)

0.0

This reporting year, how many enforcement actions were undertaken for post-construction SMPs (e.g. verbal warnings, citations, stop work orders)? (Part IV.F.2.)

0.0

Please enter any comments related to the questions in this section below:

The Village contracted with KB Engineering in 2025 to assist with implementation of the MS4 program. The most recent SWMP update was in November 2025. The system mapping was reviewed, and no changes were required in the past year. Phase I of the comprehensive mapping have been completed.

Part V

In Year 5: Has the SWMP Plan been evaluated? (Part V.C.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Part VI

Which MCMs in this Part were completed as a coalition/group, if any?

MCM 1

MCM 3

MCM 2

MCM 6

Minimum Control Measure 1

Within three (3) years of the EDC: Have the focus areas been identified? (Part VI.A.1.a.)

Yes

What focus areas were identified?

Sewersheds for impaired waters listed in Appendix C (subject to Part VIII. requirements; mapped in accordance with Part IV.D.1.c. for MS4 Operators continuing coverage and Part IV.D.2.a.ii. for newly designated MS4 Operators)

Within three (3) years of the EDC: Have the target audience(s) and associated pollutant generating activities been identified? (Part VI.A.1.b.)

Yes

What target audience(s) and associated pollutant generating activities were identified?

Residents

Within three (3) years of the EDC: Have the education and outreach topics been identified and how the education and outreach topics will reduce the potential for pollutants explained? (Part VI.A.1.c.)

Yes

What education and outreach topics were identified?

Phosphorus discharge prevention letters were circulated.

In Year 5: Has the method(s) used for distribution of educational messages been identified? (Part VI.A.2.a.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 5: Has one educational message been delivered to each target audience(s) for each focus area based on the education and outreach topic(s)? (Part VI.A.2.b.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 4 and Year 5: Have target audiences, focus areas, and/or education and outreach topics been updated? (Part VI.A.2.c.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Please enter any comments related to the questions in this section below:

Phosphorus discharge prevention letters were circulated in 2024. Stormwater discharge best practices videos are also available.

Minimum Control Measure 2

Annually: Has an opportunity for public involvement/participation in the development and implementation of the SWMP been provided? (Part VI.B.1.a.)

Yes

What was the opportunity for public involvement/participation in the SWMP?

Public hearings or meetings

Annually: Has the public been informed about the opportunity for their involvement in the development and implementation of the SWMP and how they can get involved? (Part VI.B.1.b.)

Yes

What is the method(s) used for distribution to inform the public of the opportunity for involvement?

Electronic materials (e.g., websites, email listservs)

Annually: Has an opportunity to review and comment on the publicly available SWMP Plan been provided? (Part VI.B.2.a.)

Yes

Annually: Has an opportunity to review and comment on the draft annual report been provided? (Part VI.B.2.b.i.)

Yes

What opportunity for review and comment on the draft annual report has been provided?

Posting of draft Annual Report on a public website

Annually: Have the comments received on the SWMP Plan been summarized? (Part VI.B.2.c.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

No comments have been received.

Annually: Have the comments received on the draft annual report been summarized? (Part VI.B.2.c.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

No comments have been received.

Please enter any comments related to the questions in this section below:

The SWMP is posted on the Village website. A summary of the Village's MS4 Annual Report was read into the record at the March 2026 Village Board meeting . It was noted that the SWMP was available for review on the Village website as part of the summary.

Minimum Control Measure 3

Within three (3) years of the EDC: Has an inventory of monitoring locations been developed? (Part VI.C.1.c.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 4 and Year 5: Has the monitoring location inventory been updated? (Part VI.C.1.c.ii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Within three (3) years of the EDC: Have monitoring locations been prioritized? (Part VI.C.1.d.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 4 and Year 5: Has the monitoring location prioritization been updated? (Part VI.C.1.d.iii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Within two (2) years of the EDC: Has a monitoring locations inspection and sampling program been developed and implemented? (Part VI.C.1.e.)

Yes

In Year 5: Every five (5) years following the most recent inspection, have all the monitoring locations been inspected? (Part VI.C.1.e.i.a))

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 5: Has training on the MS4 Operator's monitoring locations inspection and sampling procedures been provided? (Part VI.C.1.e.ii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received monitoring locations inspection and sampling training been updated? (Part VI.C.1.e.iii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 3, Year 4, and Year 5: Have the monitoring locations inspection and sampling procedures been updated? (Part VI.C.1.e.iv.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Within two (2) years of the EDC: Has an illicit discharge track down program been developed and implemented? (Part VI.C.2.)

Yes

In Year 5: Has training on the MS4 Operator's illicit discharge track down procedures prior to conducting illicit discharge track down been provided? (Part VI.C.2.b.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received illicit discharge track down procedures training been updated? (Part VI.C.2.c.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 3, Year 4, and Year 5: Have the illicit discharge track down procedures been reviewed and updated? (Part VI.C.2.d.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Within two (2) years of the EDC: Has an illicit discharge elimination program been developed and implemented? (Part VI.C.3.)

Yes

In Year 5: Has training on the MS4 Operator's illicit discharge elimination procedures prior to conducting illicit discharge elimination been provided? (Part VI.C.3.b.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received illicit discharge elimination procedures training been updated? (Part VI.C.3.c.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 3, Year 4, and Year 5: Have the illicit discharge elimination procedures been reviewed and updated? (Part VI.C.3.d.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Please enter any comments related to the questions in this section below:

In 2025, an illicit discharge trackdown and elimination program was developed along with a monitoring locations inspection and sampling program. Both programs were implemented and included in the SWMP revision in November 2025.

Minimum Control Measure 4

Within one (1) year of the EDC: Has a construction oversight program been developed and implemented? (Part VI.D.3)

Yes

In Year 5: Has training on the MS4 Operator's construction oversight procedures prior to conducting construction oversight been provided? (Part VI.D.3.b.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 2, Year 3, Year 4, and Year 5: Have the names, titles, and contact information for the individuals who have received construction oversight procedures training been updated? (Part VI.D.3.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Training on the Construction Oversight Program will be provided in 2026

In Year 2, Year 3, Year 4, and Year 5: Have the construction oversight procedures been reviewed and updated? (Part VI.D.3.e.)

Yes

Annually: Has the inventory of construction sites been updated? (Part VI.D.4.b.)

Yes

How many construction sites are on the inventory?

1

Within one (1) year of the EDC: Have construction sites been prioritized? (Part VI.D.5.a.)

Yes

In Year 2, Year 3, Year 4, and Year 5: Has the construction site prioritization been updated? (Part VI.D.5.c.)

Yes

How many high priority construction sites are on the inventory?

0

Within three (3) years of the EDC: Have the individuals responsible for reviewing SWPPPs for acceptance received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity prior to conducting SWPPP reviews and/or approvals? (Part VI.D.6.a.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Annually: Have the names, titles, and contact information for the individuals who have received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity, for individuals responsible for reviewing SWPPPs been updated? (Part VI.D.6.d.)

Yes

Are pre-construction meetings conducted prior to the commencement of construction activity? (Part VI.D.7.)

Yes

Within three (3) years of the EDC: Have the individuals responsible for construction site inspections received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity prior to conducting construction site inspections? (Part VI.D.8.a.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Annually: Have all sites with construction activity identified in the inventory been inspected during active construction after the pre-construction meeting, or sooner if deficiencies are noted that require attention? (Part VI.D.8.c.)

Yes

Annually: Have the names, titles, and contact information for the individuals who have received four (4) hours of Department endorsed training in proper erosion and sediment control principles from a Soil & Water Conservation District, or other Department endorsed entity, for individuals responsible for construction site inspections been updated? (Part VI.D.8.d.)

Yes

Are final construction site inspections conducted? (Part VI.D.9.)

Yes

Please enter any comments related to the questions in this section below:

There were two permits issued for new 1-family constructions but only one site constructed a 1 family residence in 2025 on a lot under 1 acre.

No new SWPPP reviews in 2025. No new violations-cited in 2025 for Stormwater

Minimum Control Measure 5

Annually: Has the inventory of post-construction SMPs been updated? (Part VI.E.2.c.)

Yes

How many post-construction SMPs are on the inventory?

7

Within five (5) years of the EDC: Have the required components been included in the post-construction SMP inventory? (Part VI.E.2.d.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Within one (1) year of the EDC: Has a post-construction SMP inspection and maintenance program been developed and implemented? (Part VI.E.4.)

Yes

Has each post-construction SMP identified in the inventory been inspected at the required frequency? (Part VI.E.4.a.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

The 3 private SMPs were sent a letter requesting inspections, but no response was received

How many post-construction SMPs have been inspected at the required frequency?

0

In Year 5: Has training on the MS4 Operator's post-construction SMP inspection and maintenance procedures prior to conducting post-construction SMP inspection and maintenance been provided? (Part VI.E.4.b.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Annually: Have names, titles, and contact information for the individuals who have received post-construction SMP inspection and maintenance procedures training updated? (Part VI.E.4.c.)

No

Please clarify the reason for selecting "No" or "N/A" for this item.

Training is planned for 2026

In Year 2, Year 3, Year 4, and Year 5: Have the post-construction SMP inspection and maintenance procedures been reviewed and updated? (Part VI.E.4.d.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

They have been reviewed and no revisions were deemed necessary

Please enter any comments related to the questions in this section below:

The inventory of post-construction SMPs was reviewed in 2025 and no new practices had been constructed. The Village maintained the three (3) Village owned practices quarterly in 2025.

Minimum Control Measure 6

Within three (3) years of the EDC: Have best management practices (BMPs) been incorporated into the municipal facility program and municipal operations program? (Part VI.F.1.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Within three (3) years of the EDC: Has a municipal facility program been developed and implemented? (Part VI.F.2.a.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 5: Has training on the MS4 Operator's municipal facility procedures prior to conducting municipal facility procedures been provided? (Part VI.F.2.a.ii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 4 and Year 5: Have the names, titles, and contact information for the individuals who have received municipal facility procedures training been updated? (Part VI.F.2.a.iii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 4 and Year 5: Have the municipal facility procedures been updated? (Part VI.F.2.a.iv.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Within two (2) years of the EDC: Has a municipal facility inventory been developed? (Part VI.F.2.b.i.)

Yes

How many municipal facilities are on the inventory?

11

In Year 3, Year 4, and Year 5: Has the municipal facility inventory been updated? (Part VI.F.2.b.ii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Within three (3) years of the EDC: Have the municipal facilities been prioritized? (Part VI.F.2.c.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 4 and Year 5: Has the municipal facility prioritization been updated? (Part VI.F.2.c.iii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Within five (5) years of the EDC: Has a municipal facility specific SWPPP for each high priority municipal facility been developed? (Part VI.F.2.d.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 5: Has all wet weather visual monitoring of the monitoring locations at all high priority municipal facilities been conducted? (Part VI.F.2.d.ii.a))

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 5: Has a comprehensive site assessment for each high priority municipal facility been completed? (Part VI.F.2.d.ii.c))

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 5: Has a comprehensive site assessment for each low priority municipal facility been completed? (Part VI.F.2.e.ii.c))

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Within three (3) years of the EDC: Has a municipal operations program been developed? (Part VI.F.3.a.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 5: Has training on the MS4 Operator's municipal operations procedures prior to conducting municipal operations been provided? (Part VI.F.3.a.ii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 4 and Year 5: Have the names, titles, and contact information for the individuals who have received municipal operations procedures training been updated? (Part VI.F.3.a.iii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 4 and Year 5: Have the municipal operations procedures been reviewed and updated? (Part VI.F.3.a.iv.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Within three (3) years of the EDC: Have catch basins in need of inspection been identified? (Part VI.F.3.c.i.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Within three (3) years of the EDC: Has catch basin inspection information been inventoried? (Part VI.F.3.c.ii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

In Year 5: Have all streets, bridges, parking lots, and right of ways been swept? (Part VI.F.3.d.i.a))

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Annually: Have all streets in business districts and commercial areas been swept? (Part VI.F.3.d.i.b))

Yes

Within five (5) years of the EDC: Have roads, bridges, parking lots, and right of way maintenance specific BMPs been implemented? (Part VI.F.3.d.ii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Within five (5) years of the EDC: Have winter road maintenance specific BMPs been implemented? (Part VI.F.3.d.iii.)

N/A

Please clarify the reason for selecting "No" or "N/A" for this item.

This item is not due yet.

Please enter any comments related to the questions in this section below:

Not Applicable (N/A) has been selected for some of the responses in the prior section as the scope is not required until future years of the program.

Part VIII

Does the MS4 Operator discharge to an impaired water listed in Appendix C of GP-0-24-001?

No

Please enter any comments related to the questions in this section below:

As per NYSDEC, Collin's lake is impaired due to the presence of phosphorus, however, there are no outfalls from the Village stormwater collection system that discharge to the lake.

Part IX

Does the MS4 Operator discharge to a TMDL listed in Table 3 of GP-0-24-001?

No

Please enter any comments related to the questions in this section below:

NONE PROVIDED

Interim Progress Status

Interim Progress Resources

Use the following webpages for more information on the permit and fact sheet:
[MS4 Permit Webpage](#)

[MS4 Toolbox](#)

Have you reviewed compliance items due within three years of EDC?

Yes

Have you reviewed compliance items due within four years of EDC?

Yes

Have you reviewed compliance items due within five years of EDC?

Yes

Have you reviewed compliance items which need to be completed routinely (annually, every five (5) years, etc.)?

Yes

Please enter any comments related to the questions in this section.

NONE PROVIDED

Certification

The ranking elected official or Principal Executive Officer for the MS4 Operator will be signing the form.

Yes

As the Ranking Elected Official or Principal Executive Officer, please download the certification form using the link below. Complete and sign the certification. Then, upload the certification form to this Interim Progress Certification and/or Annual Report.

[Certification Form](#)

Attach completed certification form.

Scotia ms4_Annual Report certform 2026.pdf - 04/01/2026 07:35 AM

Comment

NONE PROVIDED

Attachments

Date	Attachment Name	Context	User
4/1/2026 7:35 AM	Scotia ms4_Annual Report certform 2026.pdf	Attachment	Ryan Kedzior

Status History

	User	Processing Status
3/4/2026 7:42:38 AM	Ryan Kedzior	Draft
4/1/2026 7:37:45 AM	Ryan Kedzior	Submitting
4/1/2026 7:38:03 AM	Ryan Kedzior	Submitted
4/1/2026 7:38:03 AM	Ryan Kedzior	Deemed Complete

Processing Steps

Step Name	Assigned To/Completed By	Date Completed
Form Submitted	Ryan Kedzior	4/1/2026 7:38:02 AM
Accepted	Ryan Kedzior	4/1/2026 7:38:03 AM

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Division of Water, Bureau of Water Permits
625 Broadway, Albany, New York 12233-3505
P: (518) 402-8111 | F: (518) 402-9029
www.dec.ny.gov

MS4 Operator Certification Form for eReports SPDES General Permit for Stormwater Discharges From Municipal Separate Storm Sewer Systems (GP-0-24-001)

Instructions

As required by Part V.B.2. and Part V.B.3. of GP-0-24-001, the MS4 Operator must submit the Annual Report and the Interim Progress Certification, respectively. As stated in Part V.B.5. of GP-0-24-001, all reports must be signed in accordance with Part X.J. of GP-0-24-001.

MS4 Operator Name: Village of Scotia

Permit ID: NYR20A 023

eReport Submission Number: HQK-SXE0-YSNM6

MS4 Operator Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.


Name (please print or type)

David Bucciferro

Title

Mayor

Signature



Date

3/31/2026



Department of
Environmental
Conservation